

**The Energy Regulatory Office's Price Decision No. 5/2010
of 30 November 2010**

**Laying down prices of regulated services related to electricity supply to
customers connected to low voltage networks**

Under Section 2c of Act No. 265/1991 on the Competencies of the Czech Republic's Authorities in the Area of Prices, as amended, and under Section 17(4)(d) and (9) of Act No. 458/2000 on the Conditions for Business and State Administration in the Energy Industries and on Amendments to Certain Laws (hereinafter "the Energy Act"), as amended, the Energy Regulatory Office ['ERO'] hereby issues its Price Decision on the prices of electricity distribution to customers connected to low voltage networks.

I Specified conditions for pricing electricity distribution to category C and D customers

(1) The prices specified herein are understood to be fixed prices without the tax on electricity under a separate legal regulation ¹⁾ and value added tax under the law on value added tax ²⁾.

(2) The fixed prices specified herein and specified conditions shall apply to electricity distribution to customers (hereinafter "customers") who take electricity from a distribution system operator's (hereinafter "distributor") distribution facility, having a phase-to-phase voltage of up to 1 kV (low voltage). The tariffs do not include the price for electricity distribution placing special requirements on the manner of protection over and above the standards of supplies and services under a separate legal regulation ³⁾.

(3) If the electricity supply quality parameters set out in a technical standard ⁴⁾ are not kept at a demand take point [supply point], the prices specified in Parts III and IV shall be the maximum prices.

(4) The customer may elect any one of the following tariffs if he meets the conditions subject to which such a tariff may be assigned to him. The tariffs shall apply to each supply point separately, under a separate legal regulation ⁵⁾.

(5) The monthly capacity charge is understood to be that component of the price, which is proportional to the rated current of the main circuit breaker upstream from the electricity meter and independent of the quantity of the electrical energy taken. For circuit breakers having a rated current of more than 3 x 160 A and more than 1 x 25 A at the supply points of category C customers, and for circuit breakers having a rated current of more than 3 x 63 A and more than 1 x 25 A at the supply points of category D customers, the monthly capacity charge shall be determined as the product of the unit charge per ampere times the rated current of the main circuit breaker upstream from the electricity meter, rounded up to whole amperes. Any change in the rated current of the main circuit breaker upstream from the electricity meter shall be deemed to be a change of tariff, and shall constitute grounds for amending the electricity

¹⁾ Part 47 of Act No. 261/2007 on the Stabilisation of Public Budgets, as amended

²⁾ Act No. 235/2004 on Value Added Tax, as amended

³⁾ Public notice no. 540/2005 on the quality of electricity supplies and services in the electricity industry

⁴⁾ ČSN EN 50160

⁵⁾ Act No. 458/2000 on the Conditions for Business and State Administration in the Energy Industries and on Amendments to Certain Laws (the Energy Act), as amended

distribution agreement or the agreement on bundled electricity supply services and the connection agreement. The main circuit breaker upstream from the electricity meter may only be a circuit breaker compliant with the technical standard ⁶⁾ having the “B” tripping characteristics; in the case of demand taken by appliances taking a large start-up current, a circuit breaker with the “C” tripping characteristics may be used. In the case of using circuit breakers with controllable thermal and short-circuit trips, the design of the breakers must be modified so as to make it possible to seal the trips properly. If the design of the circuit breaker does not allow any such modification the maximum settable value of the circuit breaker shall be the basis for the monthly capacity charge. In justifiable cases, the distributor may permit a circuit breaker having the “D” characteristics specified in the above standards. If the main circuit breaker upstream from the electricity meter was properly installed and registered by the distributor in a registration form or in an electricity supply agreement prior to 1 July 2001, its tripping characteristics may differ from the above.

(6) The customer may not change his tariff more frequently than once in 12 months, unless the customer and the distributor agree otherwise.

(7) For metering and billing the distributed quantity of electricity (MWh) the following rate-related time bands have been set:

a) The time band in which the low rate (hereinafter referred to as “LR”) applies - a band of time set by the distributor, which has the minimum duration as specified in the terms and conditions of the respective tariff. At the time of low rate applicability electricity distribution shall be charged at a lower price.

The distributor defines the low rate band by operating control of the duration of the applicability of the low rate, which is understood to be the definition of the time band of low rate applicability, which the distributor may change at any time. The distributor shall keep the total period of low rate applicability and observe the terms and conditions of the respective tariff.

b) The time band in which the high rate (hereinafter referred to as “HR”) applies - this time band applies at times outside the LR applicability band.

(8) In tariffs involving the condition of cut-out of electric heating appliances, this condition shall be deemed to be satisfied by a technical solution that ensures the disconnection of such appliances in accordance with the terms and conditions of the respective tariff. Electric heating appliances shall be understood to be the following:

- a) Direct electric heating appliance – an appliance serving for space heating or service water heating, which transforms electricity into thermal energy without heat accumulation.
- b) Electric storage heating appliance – an appliance serving for space heating or service water heating, which transforms electricity into thermal energy and stores it in a heat accumulator.
- c) Hybrid (mixed) heating – a heating system composed of a direct electric heating part and an electric storage heating part.
- d) Heat pump heating systems – heating apparatus where the basic heating system is a heat pump, which may be supplemented by another source of heat to cover heat demand peaks. A heat pump is a unit which – using an electrically-powered compressor – transforms the thermal energy contained in the air, groundwater, and surface water, or in the soil, into thermal energy suitable for space heating or service water heating. This technology is included in the renewable sources category.

(9) If a category C customer’s supply point has no main circuit breaker upstream from the electricity meter the distributor shall bill the customer a monthly capacity charge

⁶⁾ ČSN EN 60898, ČSN EN 60947

corresponding to the rated current of the nearest upstream safety protection element, however, not less than the charge applicable to a 3 x 63 A circuit breaker.

(10) If a category D customer's supply point has no main circuit breaker upstream from the electricity meter the distributor shall bill the customer a monthly capacity charge corresponding to rated current 1 x 25 A for single-phase connection, and 3 x 25 A for three-phase connection.

(11) If in cases under points (10) or (11) the customer ensures proper installation of a main circuit breaker upstream from the electricity meter in accordance with point (5) and enters into a new agreement with the distributor, the distributor shall not charge the customer for making the required capacity available.

(12) If electricity distribution to an electricity market participant's new supply point is made possible during the course of a calendar month the monthly capacity charge shall be billed proportionally to the ratio of the number of days for which the supply point is connected in that month and the number of days of that month.

(13) The following items under the Energy Regulatory Office's Price Decision No. 4/2010 shall be added to the electricity distribution charges specified in Parts III and IV:

- a) The charge for system services under point (2);
- b) The charge supporting electricity from renewable sources and combined heat & power and secondary sources under point (5.1);
- c) The charge for the market operator's clearing activity under point (6.2)(c).

(14) If an electricity generator connected to the low voltage level has not requested the assignment of any distribution tariff, the C 01d tariff shall be assigned to him.

II Distribution System Operators

E.ON

E.ON Distribuce, a.s., F. A. Gerstnera 2151/6, 370 49 České Budějovice,
Company No. 28085400

PRE

PREdistribuce, a.s., Svornosti 3199/19a, 150 00 Praha 5, Company No. 27376516

ČEZ

ČEZ Distribuce, a.s., Teplická 874/8, 405 02 Děčín 4 - Podmokly, Company No. 24729035

SV

SV servisní, s.r.o., Dolní 100, 797 11 Prostějov, Company No. 60725974

CCH

Centrum Praha Jih-Chodov s.r.o., Na Můstku 9, 110 00 Praha 1, Company No. 25131885

EPM

European Property Management, spol s r.o., Klimentská 46, 110 00 Praha 1,
Company No. 44792239

III Tariffs and fixed prices of electricity distribution to category C customers taking electricity from low voltage networks and the conditions for their application

Tariff C 01d – Single-rate tariff (for low consumption)

The fixed price of electricity distribution is composed of:

- the monthly capacity charge based on the rated current of the main circuit breaker upstream from the electricity meter, amounting to (in CZK):

	E.ON	PRE	ČEZ	SV	CCH	EPM
circuit breaker up to 3x10 A and up to 1x25 A, inclusive	6	9	9	5	6	9
circuit breaker over 3x10 A up to 3x16 A, inclusive	10	14	14	11	10	14
circuit breaker over 3x16 A up to 3x20 A, inclusive	12	18	18	15	13	18
circuit breaker over 3x20 A up to 3x25 A, inclusive	15	23	23	16	16	23
circuit breaker over 3x25 A up to 3x32 A, inclusive	19	29	29	21	19	29
circuit breaker over 3x32 A up to 3x40 A, inclusive	24	36	36	27	26	36
circuit breaker over 3x40 A up to 3x50 A, inclusive	30	45	45	34	30	45
circuit breaker over 3x50 A up to 3x63 A, inclusive	38	57	57	43	38	57
circuit breaker over 3x63 A up to 3x80 A, inclusive	48	72	72	55	50	72
circuit breaker over 3x80 A up to 3x100 A, inclusive	60	90	90	67	62	90
circuit breaker over 3x100 A up to 3x125, inclusive	75	113	113	83	77	113
circuit breaker over 3x125 A up to 3x160 A, inclusive	96	144	144	108	99	144
circuit breaker over 3x160 A per ampere	0.60	0.90	0.90	0.50	0.64	0.90
circuit breaker over 1x25 A per ampere	0.20	0.30	0.30	0.30	0.16	0.30

- the charge for the electricity quantity distributed:

	E.ON	PRE	ČEZ	SV	CCH	EPM
CZK/MWh	2,881.22	2,686.01	2,653.82	1,722.88	1,719.33	2,686.01

Tariff C 02d – Single-rate tariff (for medium consumption)

The fixed price of electricity distribution is composed of:

- the monthly capacity charge based on the rated current of the main circuit breaker upstream from the electricity meter, amounting to (in CZK):

	E.ON	PRE	ČEZ	SV	CCH	EPM
--	------	-----	-----	----	-----	-----

circuit breaker up to 3x10 A and up to 1x25 A, inclusive	42	39	42	41	39	39
circuit breaker over 3x10 A up to 3x16 A, inclusive	67	62	67	64	62	62
circuit breaker over 3x16 A up to 3x20 A, inclusive	84	78	84	79	78	78
circuit breaker over 3x20 A up to 3x25 A, inclusive	105	98	105	99	97	98
circuit breaker over 3x25 A up to 3x32 A, inclusive	134	125	134	127	124	125
circuit breaker over 3x32 A up to 3x40 A, inclusive	168	156	168	159	155	156
circuit breaker over 3x40 A up to 3x50 A, inclusive	210	195	210	199	194	195
circuit breaker over 3x50 A up to 3x63 A, inclusive	265	246	265	251	244	246
circuit breaker over 3x63 A up to 3x80 A, inclusive	336	312	336	318	310	312
circuit breaker over 3x80 A up to 3x100 A, inclusive	420	390	420	398	388	390
circuit breaker over 3x100 A up to 3x125, inclusive	525	488	525	497	484	488
circuit breaker over 3x125 A up to 3x160 A, inclusive	672	624	672	637	620	624
circuit breaker over 3x160 A per ampere	4.20	3.90	4.20	4.10	3.90	3.90
circuit breaker over 1x25 A per ampere	1.40	1.30	1.40	1.40	1.30	1.30

- the charge for the electricity quantity distributed:

	E.ON	PRE	ČEZ	SV	CCH	EPM
CZK/MWh	2,341.93	2,076.45	2,127.87	1,368.16	1,418.82	2,076.45

Tariff C 03d – Single-rate tariff (for higher consumption)

The fixed price of electricity distribution is composed of:

- the monthly capacity charge based on the rated current of the main circuit breaker upstream from the electricity meter, amounting to (in CZK):

	E.ON	PRE	ČEZ	SV	CCH	EPM
circuit breaker up to 3x10 A and up to 1x25 A, inclusive	546	495	489	332	389	495
circuit breaker over 3x10 A up to 3x16 A, inclusive	874	792	782	530	624	792
circuit breaker over 3x16 A up to 3x20 A, inclusive	1,092	990	978	662	783	990
circuit breaker over 3x20 A up to 3x25 A, inclusive	1,365	1,238	1,223	830	975	1,238
circuit breaker over 3x25 A up to 3x32 A, inclusive	1,747	1,584	1,565	1,062	1,248	1,584
circuit breaker over 3x32 A up to 3x40 A, inclusive	2,184	1,980	1,956	1,327	1,565	1,980
circuit breaker over 3x40 A up to 3x50 A, inclusive	2,730	2,475	2,445	1,659	1,953	2,475
circuit breaker over 3x50 A up to 3x63 A, inclusive	3,440	3,119	3,081	2,088	2,463	3,119

circuit breaker over 3x63 A up to 3x80 A, inclusive	4,368	3,960	3,912	2,653	3,125	3,960
circuit breaker over 3x80 A up to 3x100 A, inclusive	5,460	4,950	4,890	3,316	3,908	4,950
circuit breaker over 3x100 A up to 3x125, inclusive	6,825	6,188	6,113	4,146	4,881	6,188
circuit breaker over 3x125 A up to 3x160 A, inclusive	8,736	7,920	7,824	5,308	6,249	7,920
circuit breaker over 3x160 A per ampere	54.60	49.50	48.90	33.20	38.88	49.50
circuit breaker over 1x25 A per ampere	18.20	16.50	16.30	11.00	12.96	16.50

- the charge for the electricity quantity distributed:

	E.ON	PRE	ČEZ	SV	CCH	EPM
CZK/MWh	1,158.19	980.68	1,017.74	710.95	899.73	980.68

Tariff C 25d – Two-rate tariff with operating control of the times of low rate applicability for eight hours

The fixed price of electricity distribution is composed of:

- the monthly capacity charge based on the rated current of the main circuit breaker upstream from the electricity meter, amounting to (in CZK):

	E.ON	PRE	ČEZ
circuit breaker up to 3x10 A and up to 1x25 A, inclusive	120	114	108
circuit breaker over 3x10 A up to 3x16 A, inclusive	192	182	173
circuit breaker over 3x16 A up to 3x20 A, inclusive	240	228	216
circuit breaker over 3x20 A up to 3x25 A, inclusive	300	285	270
circuit breaker over 3x25 A up to 3x32 A, inclusive	384	365	346
circuit breaker over 3x32 A up to 3x40 A, inclusive	480	456	432
circuit breaker over 3x40 A up to 3x50 A, inclusive	600	570	540
circuit breaker over 3x50 A up to 3x63 A, inclusive	756	718	680
circuit breaker over 3x63 A up to 3x80 A, inclusive	960	912	864
circuit breaker over 3x80 A up to 3x100 A, inclusive	1,200	1,140	1,080
circuit breaker over 3x100 A up to 3x125, inclusive	1,500	1,425	1,350
circuit breaker over 3x125 A up to 3x160 A, inclusive	1,920	1,824	1,728
circuit breaker over 3x160 A per ampere	12.00	11.40	10.80
circuit breaker over 1x25 A per ampere	4.00	3.80	3.60

- the charge for the electricity quantity distributed at the high rate:

	E.ON	PRE	ČEZ
--	------	-----	-----

CZK/MWh	2,019.65	1,800.59	1,781.72
---------	----------	----------	----------

- the charge for the electricity quantity distributed at the low rate:

	E.ON	PRE	ČEZ
CZK/MWh	68.22	56.35	54.51

Terms and conditions of the tariff:

- The distributor shall determine the times of low rate applicability so that the total duration of such times is at least eight hours a day. During the course of a day the distributor may make operating changes in the low rate applicability times.
- The times allocated to these bands need not be the same for all customers or for individual days and they need not be contained in a single continuous period.
- If the eight-hour band of low rate applicability is broken up during the day into multiple intervals of time (however, no more than three intervals), none of them may be shorter than one hour. Upon the customer's request the distributor shall break up the eight-hour band of low rate applicability into two intervals, provided that none of them may be shorter than three hours. A customer may request a change only once in 12 months, unless the customer and distributor agree otherwise.
- An electric storage appliance for space heating of the property or an electric storage appliance for service water heating must be properly installed at the supply point.
- The customer shall make technical arrangements for the cut-out of electric storage heating appliances at the times of high rate applicability.

Tariff C 26d – Two-rate tariff with operating control of the times of low rate applicability for eight hours

The fixed price of electricity distribution is composed of:

- the monthly capacity charge based on the rated current of the main circuit breaker upstream from the electricity meter, amounting to (in CZK):

	E.ON	PRE	ČEZ
circuit breaker up to 3x10 A and up to 1x25 A, inclusive	342	309	318
circuit breaker over 3x10 A up to 3x16 A, inclusive	547	494	509
circuit breaker over 3x16 A up to 3x20 A, inclusive	684	618	636
circuit breaker over 3x20 A up to 3x25 A, inclusive	855	773	795
circuit breaker over 3x25 A up to 3x32 A, inclusive	1,094	989	1,018
circuit breaker over 3x32 A up to 3x40 A, inclusive	1,368	1,236	1,272
circuit breaker over 3x40 A up to 3x50 A, inclusive	1,710	1,545	1,590
circuit breaker over 3x50 A up to 3x63 A, inclusive	2,155	1,947	2,003
circuit breaker over 3x63 A up to 3x80 A, inclusive	2,736	2,472	2,544

circuit breaker over 3x80 A up to 3x100 A, inclusive	3,420	3,090	3,180
circuit breaker over 3x100 A up to 3x125, inclusive	4,275	3,863	3,975
circuit breaker over 3x125 A up to 3x160 A, inclusive	5,472	4,944	5,088
circuit breaker over 3x160 A per ampere	34.20	30.90	31.80
circuit breaker over 1x25 A per ampere	11.40	10.30	10.60

- the charge for the electricity quantity distributed at the high rate:

	E.ON	PRE	ČEZ
CZK/MWh	1,081.03	948.69	1,139.78

- the charge for the electricity quantity distributed at the low rate:

	E.ON	PRE	ČEZ
CZK/MWh	68.22	56.35	54.51

Terms and conditions of the tariff:

- The distributor shall determine the times of low rate applicability so that the total duration of such times is at least eight hours a day. During the course of a day the distributor may make operating changes in the times of low rate applicability.
- The times allocated to these bands need not be the same for all customers or for individual days and they need not be contained in a single continuous period.
- If the eight-hour band of low rate applicability is broken up during the day into multiple intervals of time (however, no more than three intervals), none of them may be shorter than one hour. Upon the customer's request the distributor shall break up the eight-hour band of low rate applicability into two intervals, provided that none of them may be shorter than three hours. A customer may request a change only once in 12 months, unless the customer and distributor agree otherwise.
- Electric storage appliances for space heating of the property must be properly installed at the supply point.
- The aggregate installed power input to the electric storage appliances must equal at least 55% of the power input corresponding to the rating of the main circuit breaker upstream from the electricity meter at the supply point. The distributor shall assign this tariff to the customer also in the case when the aggregate power input to the electric storage appliances is lower than 55% of the power input corresponding to the rating of the main circuit breaker upstream from the electricity meter, provided that the customer proves that the power output of the electric storage appliances corresponds to the thermal losses from the heated property.
- The customer shall make technical arrangements for the cut-out of electric storage appliances at the times of high rate applicability.

Tariff C 35d – Two-rate tariff with operating control of the times of low rate applicability for 16 hours

The fixed price of electricity distribution is composed of:

- the monthly capacity charge based on the rated current of the main circuit breaker upstream from the electricity meter, amounting to (in CZK):

	E.ON	PRE	ČEZ
circuit breaker up to 3x10 A and up to 1x25 A, inclusive	396	357	378
circuit breaker over 3x10 A up to 3x16 A, inclusive	634	571	605
circuit breaker over 3x16 A up to 3x20 A, inclusive	792	714	756
circuit breaker over 3x20 A up to 3x25 A, inclusive	990	893	945
circuit breaker over 3x25 A up to 3x32 A, inclusive	1,267	1,142	1,210
circuit breaker over 3x32 A up to 3x40 A, inclusive	1,584	1,428	1,512
circuit breaker over 3x40 A up to 3x50 A, inclusive	1,980	1,785	1,890
circuit breaker over 3x50 A up to 3x63 A, inclusive	2,495	2,249	2,381
circuit breaker over 3x63 A up to 3x80 A, inclusive	3,168	2,856	3,024
circuit breaker over 3x80 A up to 3x100 A, inclusive	3,960	3,570	3,780
circuit breaker over 3x100 A up to 3x125, inclusive	4,950	4,463	4,725
circuit breaker over 3x125 A up to 3x160 A, inclusive	6,336	5,712	6,048
circuit breaker over 3x160 A per ampere	39.60	35.70	37.80
circuit breaker over 1x25 A per ampere	13.20	11.90	12.60

- the charge for the electricity quantity distributed at the high rate:

	E.ON	PRE	ČEZ
CZK/MWh	852.94	737.53	816.26

- the charge for the electricity quantity distributed at the low rate:

	E.ON	PRE	ČEZ
CZK/MWh	68.22	56.35	54.51

Terms and conditions of the tariff:

- The distributor shall determine the times of low rate applicability so that the total duration of such times is at least 16 hours a day. During the course of a day the distributor may make operating changes in the times of low rate applicability.
- The times allocated to these bands need not be the same for all customers or for individual days and they need not be contained in a single continuous period.
- If the 16-hour band of low rate applicability is broken up during the day into multiple intervals of time (however, no more than five intervals), none of them may be shorter than one hour.
- Hybrid electrical appliances for space heating of the property must be properly installed at the supply point.

5. The aggregate installed power input to the hybrid electrical appliances, including the power input to the storage appliance for service water heating, if applicable, must equal at least 50% of the power input corresponding to the rating of the main circuit breaker upstream from the electricity meter at the supply point. The distributor shall assign this tariff to the customer also in the case when the aggregate power input to the hybrid electrical appliances is lower than 50% of the power input corresponding to the rating of the main circuit breaker upstream from the electricity meter, provided that the customer proves that the power output of the hybrid electrical appliances corresponds to the thermal losses from the heated property.
6. If an electric storage appliance for service water heating is installed at the supply point the conditions of the C 25d tariff shall apply to this appliance.
7. The customer shall make technical arrangements for the cut-out of the storage part at the times of high rate applicability.

Tariff C 45d - Two-rate tariff with operating control of the times of low rate applicability for 20 hours

The fixed price of electricity distribution is composed of:

- the monthly capacity charge based on the rated current of the main circuit breaker upstream from the electricity meter, amounting to (in CZK):

	E.ON	PRE	ČEZ
circuit breaker up to 3x10 A and up to 1x25 A, inclusive	399	366	381
circuit breaker over 3x10 A up to 3x16 A, inclusive	638	586	610
circuit breaker over 3x16 A up to 3x20 A, inclusive	798	732	762
circuit breaker over 3x20 A up to 3x25 A, inclusive	998	915	953
circuit breaker over 3x25 A up to 3x32 A, inclusive	1,277	1,171	1,219
circuit breaker over 3x32 A up to 3x40 A, inclusive	1,596	1,464	1,524
circuit breaker over 3x40 A up to 3x50 A, inclusive	1,995	1,830	1,905
circuit breaker over 3x50 A up to 3x63 A, inclusive	2,514	2,306	2,400
circuit breaker over 3x63 A up to 3x80 A, inclusive	3,192	2,928	3,048
circuit breaker over 3x80 A up to 3x100 A, inclusive	3,990	3,660	3,810
circuit breaker over 3x100 A up to 3x125, inclusive	4,988	4,575	4,763
circuit breaker over 3x125 A up to 3x160 A, inclusive	6,384	5,856	6,096
circuit breaker over 3x160 A per ampere	39.90	36.60	38.10
circuit breaker over 1x25 A per ampere	13.30	12.20	12.70

- the charge for the electricity quantity distributed at the high rate:

	E.ON	PRE	ČEZ

CZK/MWh	250.87	222.14	260.38
---------	--------	--------	--------

- the charge for the electricity quantity distributed at the low rate:

	E.ON	PRE	ČEZ
CZK/MWh	68.22	56.35	54.51

Terms and conditions of the tariff:

- The distributor shall determine the times of low rate applicability so that the total duration of such times is at least 20 hours a day. During the course of a day the distributor may make operating changes in the times of low rate applicability.
- The times allocated to these bands need not be the same for all customers or for individual days, and they need not be contained in a single continuous period.
- If the 20-hour band of low rate applicability is broken up during the day into multiple intervals of time (however, no more than seven intervals), none of them may be shorter than one hour.
- The maximum continuous duration of high rate applicability shall be one hour.
- Direct electric heating appliances for space heating of the property must be properly installed at the supply point.
- The aggregate installed power input to the direct electric heating appliances, including the power input to the storage appliance for service water heating, if applicable, must equal at least 40% of the power input corresponding to the rating of the main circuit breaker upstream from the electricity meter at the supply point. The distributor shall assign this tariff to the customer also in the case the aggregate power input to the direct electric heating appliances is lower than 40% of the power input corresponding to the rating of the main circuit breaker upstream from the electricity meter, provided that the customer proves that the power output of the direct electric heating appliances corresponds to the thermal losses from the heated property.
- If an electric storage appliance for service water heating is installed at the supply point the conditions of the C 25d tariff shall apply to this appliance.
- The customer shall make technical arrangements for the cut-out of the electric heating appliances at the times of high rate applicability.
- At times of low rate applicability the distributor may cut out a direct electric heating appliance for a maximum total duration of two hours a day provided that the individual cut-out times may not be longer than 30 minutes and the intervals between cut-outs may not be shorter than one hour.

Tariff C 55d – Two-rate tariff for heating using a heat pump commissioned before 31 March 2005 and operating control of the times of low rate applicability for 22 hours

The fixed price of electricity distribution is composed of:

- the monthly capacity charge based on the rated current of the main circuit breaker upstream from the electricity meter, amounting to (in CZK):

	E.ON	PRE	ČEZ
--	------	-----	-----

circuit breaker up to 3x10 A and up to 1x25 A, inclusive	46	46	46
circuit breaker over 3x10 A up to 3x16 A, inclusive	74	74	74
circuit breaker over 3x16 A up to 3x20 A, inclusive	92	92	92
circuit breaker over 3x20 A up to 3x25 A, inclusive	116	116	116
circuit breaker over 3x25 A up to 3x32 A, inclusive	148	148	148
circuit breaker over 3x32 A up to 3x40 A, inclusive	185	185	185
circuit breaker over 3x40 A up to 3x50 A, inclusive	231	231	231
circuit breaker over 3x50 A up to 3x63 A, inclusive	291	291	291
circuit breaker over 3x63 A up to 3x80 A, inclusive	370	370	370
circuit breaker over 3x80 A up to 3x100 A, inclusive	462	462	462
circuit breaker over 3x100 A up to 3x125, inclusive	578	578	578
circuit breaker over 3x125 A up to 3x160 A, inclusive	739	739	739
circuit breaker over 3x160 A per ampere	4.50	4.50	4.50
circuit breaker over 1x25 A per ampere	1.50	1.50	1.50

- the charge for the distributed quantity of electricity at the high rate:

	E.ON	PRE	ČEZ
CZK/MWh	250.87	222.14	260.38

- the charge for the distributed quantity of electricity at the low rate:

	E.ON	PRE	ČEZ
CZK/MWh	68.22	56.35	54.51

Terms and conditions of the tariff:

- Commissioning shall mean the date of entering into the first agreement on electricity supply/distribution or an agreement on bundled electricity supply services in this tariff.
- The tariff is intended for the supply points in respect of which the customer shall prove to the distributor, in a credible way, that for the heating of the property, a heat pump heating system has been properly installed and used and that the system's power output corresponds to the thermal losses from the heated property.
- The heat pump heating system must be fed via a separate power lead and metered by a separate metering instrument.
- The electricity distributor shall determine the times of low rate applicability so that the total duration of such times is at least 22 hours a day. During the course of a day the distributor may make operating changes in the times of low rate applicability.
- The times allocated to these bands need not be the same for all customers or for individual days, and they need not be contained in a single continuous period.
- If an electric storage appliance for service water heating is installed at the supply point the conditions of the C 25d tariff shall apply to this appliance.

7. The customer shall make technical arrangements for the cut-out of the electric heating appliances, with the exception of the drive of the heat pump compressor, at the times of high rate applicability.
8. If the 22-hour band of low rate applicability is broken up during the day into multiple intervals of time (however, no more than seven intervals), none of them may be shorter than one hour.
9. The maximum continuous length of high rate applicability shall be one hour.
10. At times of low rate applicability, the distributor may cut out a direct electric heating appliance for a maximum total duration of two hours a day provided that the individual cut-out times may not be longer than 30 minutes and the intervals between cut-outs may not be shorter than one hour.

Tariff C 56d - Two-rate tariff for heating using a heat pump commissioned after 1 April 2005 and with operating control of the times of low rate applicability for 22 hours

The fixed price of electricity distribution is composed of:

- the monthly capacity charge based on the rated current of the main circuit breaker upstream from the electricity meter, amounting to (in CZK):

	E.ON	PRE	ČEZ
circuit breaker up to 3x10 A and up to 1x25 A, inclusive	399	366	381
circuit breaker over 3x10 A up to 3x16 A, inclusive	638	586	610
circuit breaker over 3x16 A up to 3x20 A, inclusive	798	732	762
circuit breaker over 3x20 A up to 3x25 A, inclusive	998	915	953
circuit breaker over 3x25 A up to 3x32 A, inclusive	1,277	1,171	1,219
circuit breaker over 3x32 A up to 3x40 A, inclusive	1,596	1,464	1,524
circuit breaker over 3x40 A up to 3x50 A, inclusive	1,995	1,830	1,905
circuit breaker over 3x50 A up to 3x63 A, inclusive	2,514	2,306	2,400
circuit breaker over 3x63 A up to 3x80 A, inclusive	3,192	2,928	3,048
circuit breaker over 3x80 A up to 3x100 A, inclusive	3,990	3,660	3,810
circuit breaker over 3x100 A up to 3x125, inclusive	4,988	4,575	4,763
circuit breaker over 3x125 A up to 3x160 A, inclusive	6,384	5,856	6,096
circuit breaker over 3x160 A per ampere	39.90	36.60	38.10
circuit breaker over 1x25 A per ampere	13.30	12.20	12.70

- the charge for the electricity quantity distributed at the high rate:

	E.ON	PRE	ČEZ
CZK/MWh	250.87	222.14	260.38

- the charge for the electricity quantity distributed at the low rate:

	E.ON	PRE	ČEZ
CZK/MWh	68.22	56.35	54.51

Terms and conditions of the tariff:

1. Commissioning shall mean the date of entering into the first agreement on electricity supply/distribution or an agreement on bundled electricity supply services in this tariff.
2. The tariff is intended for the supply points in respect of which the customer shall prove to the distributor, in a credible way, that for the heating of the property, a heat pump heating system has been properly installed and used.
3. The heat pump heating system must be fed via a separate power lead and metered by a separate metering instrument.
4. The thermal output of the heat pump shall cover at least 60% of the thermal losses from the heated property.
5. The electricity distributor shall determine the times of low rate applicability so that the total duration of such times is at least 22 hours a day. During the course of a day the distributor may make operating changes in the times of low rate applicability.
6. The times allocated to these bands need not be the same for all customers or for individual days, and they need not be contained in a single continuous period.
7. If an electric storage appliance for service water heating is installed at the supply point the conditions of the C 25d tariff shall apply to this appliance.
8. The customer shall make technical arrangements for the cut-out of the electric heating appliances, with the exception of the drive of the heat pump compressor, at the times of high rate applicability.
9. If the 22-hour band of low rate applicability is broken up during the day into multiple intervals of time (however, no more than seven intervals), none of them may be shorter than one hour.
10. The maximum continuous length of high rate applicability shall be one hour.
11. At times of low rate applicability, the distributor may cut out a direct electric heating appliance for a maximum total duration of two hours a day provided that the individual cut-out times may not be longer than 30 minutes and the intervals between cut-outs may not be shorter than one hour.

Tariff C 60d – Special tariff for unmetered demand

The fixed price of electricity distribution is determined as

either

- a standing monthly charge for every (even incomplete) 10 W of installed capacity, amounting to (in CZK):

	E.ON	PRE	ČEZ
Amount for each (even incomplete) 10W	19.70	18.70	18.50

Terms and conditions of the tariff:

This tariff may only be assigned if it is not possible, in technical and financial terms, to meter the demand properly using the distributor's metering instrument and if the total installed power input at the supply point does not exceed 1,000 W;

or

- a standing monthly charge of CZK 18.50 per supply point.

The level of this charge is the same for all electricity distributors listed in Part II.

Terms and conditions of the tariff:

This tariff may only be assigned if it is not possible, in technical and financial terms, to meter the demand properly using the distributor's metering instrument. The tariff is intended for police warning systems, alert sirens and similar apparatus having negligible electricity consumption, which are used only rarely.

The electricity taken (MWh) shall not be charged in this tariff.

Tariff C 61d – Tariff for unmetered demand

The fixed price of electricity distribution is determined as

- a standing monthly charge for each (even incomplete) 10 W of installed power input as follows (in CZK):

	E.ON	PRE	ČEZ
Amount for each (even incomplete) 10 W	22.13	23.76	21.31

Terms and conditions of the tariff:

This tariff may only be assigned if it is not possible, in technical and financial terms, to meter the demand properly using the distributor's metering instrument. The tariff is intended for loads with constant continuous consumption, for example, for the purpose of internet service provision over distribution networks.

The electricity taken (MWh) shall not be charged in this tariff.

Tariff C 62d – Special tariff for public lighting

The fixed price of electricity distribution is composed of:

- the monthly capacity charge based on the rated current of the main circuit breaker upstream from the electricity meter, amounting to (in CZK):

	E.ON	PRE	ČEZ
circuit breaker up to 3x10 A and up to 1x25 A, inclusive	93	90	90
circuit breaker over 3x10 A up to 3x16 A, inclusive	149	144	144
circuit breaker over 3x16 A up to 3x20 A, inclusive	186	180	180
circuit breaker over 3x20 A up to 3x25 A, inclusive	233	225	225

circuit breaker over 3x25 A up to 3x32 A, inclusive	298	288	288
circuit breaker over 3x32 A up to 3x40 A, inclusive	372	360	360
circuit breaker over 3x40 A up to 3x50 A, inclusive	465	450	450
circuit breaker over 3x50 A up to 3x63 A, inclusive	586	567	567
circuit breaker over 3x63 A up to 3x80 A, inclusive	744	720	720
circuit breaker over 3x80 A up to 3x100 A, inclusive	930	900	900
circuit breaker over 3x100 A up to 3x125, inclusive	1,163	1,125	1,125
circuit breaker over 3x125 A up to 3x160 A, inclusive	1,488	1,440	1,440
circuit breaker over 3x160 A per ampere	9.30	9.00	9.00
circuit breaker over 1x25 A per ampere	3.10	3.00	3.00

- the charge for the electricity quantity distributed:

	E.ON	PRE	ČEZ
CZK/MWh	316.53	301.38	346.17

Terms and conditions of the tariff:

The tariff is intended for the purposes of lighting public areas.

IV Tariffs and fixed prices of electricity distribution to category D customers taking electricity from low voltage networks and the conditions for their application

Tariff D 01d – Single-rate tariff (for low consumption)

The fixed price of electricity distribution is composed of:

- the monthly capacity charge based on the rated current of the main circuit breaker upstream from the electricity meter, amounting to (in CZK):

	E.ON	PRE	ČEZ
circuit breaker up to 3x10 A and up to 1x25 A, inclusive	3	6	6
circuit breaker over 3x10 A up to 3x16 A, inclusive	5	10	10
circuit breaker over 3x16 A up to 3x20 A, inclusive	6	12	12
circuit breaker over 3x20 A up to 3x25 A, inclusive	8	15	15
circuit breaker over 3x25 A up to 3x32 A, inclusive	10	19	19
circuit breaker over 3x32 A up to 3x40 A, inclusive	12	24	24

circuit breaker over 3x40 A up to 3x50 A, inclusive	15	30	30
circuit breaker over 3x50 A up to 3x63 A, inclusive	19	38	38
circuit breaker over 3x63 A per ampere	0.30	0.60	0.60
circuit breaker over 1x25 A per ampere	0.10	0.20	0.20

- the charge for the electricity quantity distributed:

	E.ON	PRE	ČEZ
CZK/MWh	2,375.77	2,149.74	2,533.10

Tariff D 02d – Single-rate tariff (for medium consumption)

The fixed price of electricity distribution is composed of:

- the monthly capacity charge based on the rated current of the main circuit breaker upstream from the electricity meter, amounting to (in CZK):

	E.ON	PRE	ČEZ
circuit breaker up to 3x10 A and up to 1x25 A, inclusive	27	27	30
circuit breaker over 3x10 A up to 3x16 A, inclusive	43	43	48
circuit breaker over 3x16 A up to 3x20 A, inclusive	54	54	60
circuit breaker over 3x20 A up to 3x25 A, inclusive	68	68	75
circuit breaker over 3x25 A up to 3x32 A, inclusive	86	86	96
circuit breaker over 3x32 A up to 3x40 A, inclusive	108	108	120
circuit breaker over 3x40 A up to 3x50 A, inclusive	135	135	150
circuit breaker over 3x50 A up to 3x63 A, inclusive	170	170	189
circuit breaker over 3x63 A per ampere	2.70	2.70	3.00
circuit breaker over 1x25 A per ampere	0.90	0.90	1.00

- the charge for the electricity quantity distributed:

	E.ON	PRE	ČEZ
CZK/MWh	1,891.61	1,636.10	1,897.64

Tariff D 25d – Two-rate tariff with operating control of the times of low rate applicability for eight hours

The fixed price of electricity distribution is composed of:

- the monthly capacity charge based on the rated current of the main circuit breaker upstream from the electricity meter, amounting to (in CZK):

	E.ON	PRE	ČEZ
circuit breaker up to 3x10 A and up to 1x25 A, inclusive	42	39	48
circuit breaker over 3x10 A up to 3x16 A, inclusive	67	62	77
circuit breaker over 3x16 A up to 3x20 A, inclusive	84	78	96
circuit breaker over 3x20 A up to 3x25 A, inclusive	105	98	120
circuit breaker over 3x25 A up to 3x32 A, inclusive	134	125	154
circuit breaker over 3x32 A up to 3x40 A, inclusive	168	156	192
circuit breaker over 3x40 A up to 3x50 A, inclusive	210	195	240
circuit breaker over 3x50 A up to 3x63 A, inclusive	265	246	302
circuit breaker over 3x63 A per ampere	4.20	3.90	4.80
circuit breaker over 1x25 A per ampere	1.40	1.30	1.60

- the charge for the electricity quantity distributed at the high rate:

	E.ON	PRE	ČEZ
CZK/MWh	1,846.39	1,582.83	1,978.50

- the charge for the electricity quantity distributed at the low rate:

	E.ON	PRE	ČEZ
CZK/MWh	27.63	19.90	32.89

Terms and conditions of the tariff:

- The distributor shall determine the times of low rate applicability so that the total duration of such times is at least eight hours a day. During the course of a day the distributor may make operating changes in the times of low rate applicability.
- The times allocated to these bands need not be the same for all customers or for individual days and they need not be contained in a single continuous period.
- If the eight-hour band of low rate applicability is broken up during the day into multiple intervals of time (however, no more than three intervals), none of them may be shorter than one hour. Upon the customer's request the distributor shall break up the eight-hour band of low rate applicability into two intervals, provided that none of them may be shorter than three hours. A customer may request a change only once in 12 months, unless the customer and distributor agree otherwise.
- An electric storage heating appliance for space heating of the property or an electric storage appliance for service water heating must be properly installed at the supply point.
- The customer shall make technical arrangements for the cut-out of electric storage heating appliances at the times of high rate applicability.

Tariff D 26d - Two-rate tariff with operating control of the times of low rate applicability for eight hours (for a higher level of use)

The fixed price of electricity distribution is composed of:

- the monthly capacity charge based on the rated current of the main circuit breaker upstream from the electricity meter, amounting to (in CZK):

	E.ON	PRE	ČEZ
circuit breaker up to 3x10 A and up to 1x25 A, inclusive	93	78	93
circuit breaker over 3x10 A up to 3x16 A, inclusive	149	125	149
circuit breaker over 3x16 A up to 3x20 A, inclusive	186	156	186
circuit breaker over 3x20 A up to 3x25 A, inclusive	233	195	233
circuit breaker over 3x25 A up to 3x32 A, inclusive	298	250	298
circuit breaker over 3x32 A up to 3x40 A, inclusive	372	312	372
circuit breaker over 3x40 A up to 3x50 A, inclusive	465	390	465
circuit breaker over 3x50 A up to 3x63 A, inclusive	586	491	586
circuit breaker over 3x63 A per ampere	9.30	7.80	9.30
circuit breaker over 1x25 A per ampere	3.10	2.60	3.10

- the charge for the electricity quantity distributed at the high rate:

	E.ON	PRE	ČEZ
CZK/MWh	618.48	645.41	668.11

- the charge for the electricity quantity distributed at the low rate:

	E.ON	PRE	ČEZ
CZK/MWh	27.63	19.90	32.89

Terms and conditions of the tariff:

- The distributor shall determine the times of low rate applicability so that the total duration of such times is at least eight hours a day. During the course of a day the distributor may make operating changes in the low rate applicability times.
- The times allocated to these bands need not be the same for all customers or for individual days and they need not be contained in a single continuous period.
- If the eight-hour band of low rate applicability is broken up during the day into multiple intervals of time (however, no more than three intervals), none of them may be shorter than one hour. Upon the customer's request the distributor shall break up the eight-hour band of low rate applicability into two intervals, provided that none of them may be shorter than three hours. A customer may request a change only once in 12 months, unless the customer and distributor agree otherwise.
- Electric storage heating appliances for space heating of the property must be properly installed at the supply point.
- The aggregate installed power input to the electric storage appliances must equal at least 55% of the power input corresponding to the rating of the main circuit breaker upstream from the electricity meter at the supply point. The distributor shall assign this tariff to the

customer also in the case when the aggregate power input to the electric storage appliances is lower than 55% of the power input corresponding to the rating of the main circuit breaker upstream from the electricity meter, provided that the customer proves that the power output of the electric storage appliances corresponds to the thermal losses from the heated property.

6. The customer shall make technical arrangements for the cut-out of electric storage heating appliances at the times of high rate applicability.

Tariff D 35d - Two-rate tariff with operating control of the times of low rate applicability for 16 hours

The fixed price of electricity distribution is composed of:

- the monthly capacity charge based on the rated current of the main circuit breaker upstream from the electricity meter, amounting to (in CZK):

	E.ON	PRE	ČEZ
circuit breaker up to 3x10 A and up to 1x25 A, inclusive	96	87	102
circuit breaker over 3x10 A up to 3x16 A, inclusive	154	139	163
circuit breaker over 3x16 A up to 3x20 A, inclusive	192	174	204
circuit breaker over 3x20 A up to 3x25 A, inclusive	240	218	255
circuit breaker over 3x25 A up to 3x32 A, inclusive	307	278	326
circuit breaker over 3x32 A up to 3x40 A, inclusive	384	348	408
circuit breaker over 3x40 A up to 3x50 A, inclusive	480	435	510
circuit breaker over 3x50 A up to 3x63 A, inclusive	605	548	643
circuit breaker over 3x63 A per ampere	9.60	8.70	10.20
circuit breaker over 1x25 A per ampere	3.20	2.90	3.40

- the charge for the electricity quantity distributed at the high rate:

	E.ON	PRE	ČEZ
CZK/MWh	239.51	207.02	255.92

- the charge for the electricity quantity distributed at the low rate:

	E.ON	PRE	ČEZ
CZK/MWh	27.63	19.90	32.89

Terms and conditions of the tariff:

1. The distributor shall determine the times of low rate applicability so that the total duration of such times is at least 16 hours a day. During the course of a day the distributor may make operating changes in the low rate applicability times.
2. The times allocated to these bands need not be the same for all customers or for individual days and they need not be contained in a single continuous period.

3. If the 16-hour band of low rate applicability is broken up during the day into multiple intervals of time (however, no more than five intervals), none of them may be shorter than one hour.
4. Hybrid electrical appliances for space heating of the property must be properly installed at the supply point.
5. The aggregate installed power input to the hybrid electrical appliances, including the power input to the storage appliance for service water heating, if applicable, must equal at least 50% of the power input corresponding to the rating of the main circuit breaker upstream from the electricity meter at the supply point. The distributor shall assign this tariff to the customer also in the case when the aggregate power input to the hybrid electrical appliances is lower than 50% of the power input corresponding to the rating of the main circuit breaker upstream from the electricity meter, provided that the customer proves that the power output of the hybrid electrical appliances corresponds to the thermal losses from the heated property.
6. If an electric storage appliance for service water heating is installed at the supply point the conditions of the D 25d tariff shall apply to this appliance.
7. The customer shall make technical arrangements for the cut-out of the storage part at the times of high rate applicability.

Tariff D 45d - Two-rate tariff with operating control of the times of low rate applicability for 20 hours

The fixed price of electricity distribution is composed of:

- the monthly capacity charge based on the rated current of the main circuit breaker upstream from the electricity meter, amounting to (in CZK):

	E.ON	PRE	ČEZ
circuit breaker up to 3x10 A and up to 1x25 A, inclusive	105	96	120
circuit breaker over 3x10 A up to 3x16 A, inclusive	168	154	192
circuit breaker over 3x16 A up to 3x20 A, inclusive	210	192	240
circuit breaker over 3x20 A up to 3x25 A, inclusive	263	240	300
circuit breaker over 3x25 A up to 3x32 A, inclusive	336	307	384
circuit breaker over 3x32 A up to 3x40 A, inclusive	420	384	480
circuit breaker over 3x40 A up to 3x50 A, inclusive	525	480	600
circuit breaker over 3x50 A up to 3x63 A, inclusive	662	605	756
circuit breaker over 3x63 A per ampere	10.50	9.60	12.00
circuit breaker over 1x25 A per ampere	3.50	3.20	4.00

- the charge for the electricity quantity distributed at the high rate:

	E.ON	PRE	ČEZ
CZK/MWh	239.51	207.02	255.92

- the charge for the electricity quantity distributed at the low rate:

	E.ON	PRE	ČEZ
CZK/MWh	27.63	19.90	32.89

Terms and conditions of the tariff:

- The distributor shall determine the times of low rate applicability so that the total duration of such times is at least 20 hours a day. During the course of a day the distributor may make operating changes in the low rate applicability times.
- The times allocated to these bands need not be the same for all customers or for individual days and they need not be contained in a single continuous period.
- If the 20-hour band of low rate applicability is broken up during the day into multiple intervals of time (however, no more than seven intervals), none of them may be shorter than one hour.
- The maximum continuous length of high rate applicability shall be one hour.
- Direct electric heating appliances for the heating of the property must be properly installed at the supply point.
- The aggregate installed power input to the direct electric heating appliances, including the power input to the storage appliance for service water heating, if applicable, must equal at least 40% of the power input corresponding to the rating of the main circuit breaker upstream from the electricity meter at the supply point. The distributor shall assign this tariff to the customer also in the case when the aggregate power input to the direct electric heating appliances is lower than 40% of the power input corresponding to the rating of the main circuit breaker upstream from the electricity meter, provided that the customer proves that the power output of the direct electric heating appliances corresponds to the thermal losses from the heated property.
- If an electric storage appliance for service water heating is installed at the supply point the conditions of the D 25d tariff shall apply to this appliance.
- If the heating system forms a part of the building's common areas serving the owners or users of the flats for common use only it must be fed by a separate lead and metered by a separate metering instrument.
- The customer shall make technical arrangements for the cut-out of the electric heating appliances at the times of high rate applicability.
- At times of low rate applicability the distributor may cut out a direct electric heating appliance for a maximum total duration of two hours a day provided that the individual cut-out times may not be longer than 30 minutes and the intervals between cut-outs may not be shorter than one hour.

Tariff D 55d - Two-rate tariff for heating using a heat pump commissioned before 31 March 2005 and operating control of the times of low rate applicability for 22 hours

The fixed price of electricity distribution is composed of:

- the monthly capacity charge based on the rated current of the main circuit breaker upstream from the electricity meter, amounting to (in CZK):

	E.ON	PRE	ČEZ
circuit breaker up to 3x10 A and up to 1x25	40	40	40

A, inclusive			
circuit breaker over 3x10 A up to 3x16 A, inclusive	63	63	63
circuit breaker over 3x16 A up to 3x20 A, inclusive	79	79	79
circuit breaker over 3x20 A up to 3x25 A, inclusive	99	99	99
circuit breaker over 3x25 A up to 3x32 A, inclusive	127	127	127
circuit breaker over 3x32 A up to 3x40 A, inclusive	158	158	158
circuit breaker over 3x40 A up to 3x50 A, inclusive	198	198	198
circuit breaker over 3x50 A up to 3x63 A, inclusive	249	249	249
circuit breaker over 3x63 A per ampere	3.90	3.90	3.90
circuit breaker over 1x25 A per ampere	1.30	1.30	1.30

- the charge for the electricity quantity distributed at the high rate:

	E.ON	PRE	ČEZ
CZK/MWh	239.51	207.02	255.92

- the charge for the electricity quantity distributed at the low rate:

	E.ON	PRE	ČEZ
CZK/MWh	27.63	19.90	32.89

Terms and conditions of the tariff:

1. Commissioning shall mean the date of entering into the first agreement on electricity supply/distribution or an agreement on bundled electricity supply services in this tariff.
2. The tariff is intended for the supply points in respect of which the customer shall prove to the distributor, in a credible way, that for the heating of the property, a heat pump heating system has been properly installed and used and that the system's power output corresponds to the thermal losses from the heated property.
3. The distributor shall determine the times of low rate applicability so that the total duration of such times is at least 22 hours a day. During the course of a day the distributor may make operating changes in the low rate applicability times.
4. The times allocated to these bands need not be the same for all customers or for individual days and they need not be contained in a single continuous period.
5. The customer shall make technical arrangements for the cut-out of the electric heating appliances, with the exception of the drive of the heat pump compressor, at the times of high rate applicability.
6. If the 22-hour band of low rate applicability is broken up during the day into multiple intervals of time (however, no more than seven intervals), none of them may be shorter than one hour.
7. If an electric storage appliance for service water heating is installed at the supply point the conditions of the D 25d tariff shall apply to this appliance.
8. The maximum continuous length of high rate applicability shall be one hour.

9. At times of low rate applicability the distributor may cut out a direct electric heating appliance for a maximum total duration of two hours a day provided that the individual cut-out times may not be longer than 30 minutes and the intervals between cut-outs may not be shorter than one hour.

Tariff D 56d – Two-rate tariff for heating using a heat pump commissioned after 1 April 2005 and operating control of the times of low rate applicability for 22 hours

The fixed price of electricity distribution is composed of:

- the monthly capacity charge based on the rated current of the main circuit breaker upstream from the electricity meter, amounting to (in CZK):

	E.ON	PRE	ČEZ
circuit breaker up to 3x10 A and up to 1x25 A, inclusive	105	96	120
circuit breaker over 3x10 A up to 3x16 A, inclusive	168	154	192
circuit breaker over 3x16 A up to 3x20 A, inclusive	210	192	240
circuit breaker over 3x20 A up to 3x25 A, inclusive	263	240	300
circuit breaker over 3x25 A up to 3x32 A, inclusive	336	307	384
circuit breaker over 3x32 A up to 3x40 A, inclusive	420	384	480
circuit breaker over 3x40 A up to 3x50 A, inclusive	525	480	600
circuit breaker over 3x50 A up to 3x63 A, inclusive	662	605	756
circuit breaker over 3x63 A per ampere	10.50	9.60	12.00
circuit breaker over 1x25 A per ampere	3.50	3.20	4.00

- the charge for the electricity quantity distributed at the high rate:

	E.ON	PRE	ČEZ
CZK/MWh	239.51	207.02	255.92

- the charge for the electricity quantity distributed at the low rate:

	E.ON	PRE	ČEZ
CZK/MWh	27.63	19.90	32.89

Terms and conditions of the tariff:

- Commissioning shall mean the date of entering into the first agreement on electricity supply/distribution or an agreement on bundled electricity supply services in this tariff.
- The tariff is intended for the supply points in respect of which the customer shall prove to the distributor, in a credible way, that for the heating of the property, a heat pump heating system has been properly installed and used.
- The thermal output of the heat pump meets at least 60% of the thermal losses from the heated property.

4. If the heat pump heating system forms a part of the building's common areas serving the owners or users of the flats for common use only it must be fed by a separate lead and metered by a separate metering instrument.
5. The distributor shall determine the times of low rate applicability so that the total duration of such times is at least 22 hours a day. During the course of a day the distributor may make operating changes in the low rate applicability times.
6. The times allocated to these bands need not be the same for all customers or for individual days and they need not be contained in a single continuous period.
7. If an electric storage appliance for service water heating is installed at the supply point the conditions of the D 25d tariff shall apply to this appliance.
8. The customer shall make technical arrangements for the cut-out of the electric heating appliances, with the exception of the drive of the heat pump compressor, at the times of high rate applicability.
9. If the 22-hour band of low rate applicability is broken up during the day into multiple intervals of time (however, no more than seven intervals) none of them may be shorter than one hour.
10. The maximum continuous length of high rate applicability shall be one hour.
11. At times of low rate applicability the distributor may cut out a direct electric heating appliance for a maximum total duration of two hours a day provided that the individual cut-out times may not be longer than 30 minutes and the intervals between cut-outs may not be shorter than one hour.

Tariff D 61d – Two-rate tariff in the weekend mode

The fixed price of electricity distribution is composed of:

- the monthly capacity charge based on the rated current of the main circuit breaker upstream from the electricity meter, amounting to (in CZK):

	E.ON	PRE	ČEZ
circuit breaker up to 3x10 A and up to 1x25 A, inclusive	12	6	12
circuit breaker over 3x10 A up to 3x16 A, inclusive	19	10	19
circuit breaker over 3x16 A up to 3x20 A, inclusive	24	12	24
circuit breaker over 3x20 A up to 3x25 A, inclusive	30	15	30
circuit breaker over 3x25 A up to 3x32 A, inclusive	38	19	38
circuit breaker over 3x32 A up to 3x40 A, inclusive	48	24	48
circuit breaker over 3x40 A up to 3x50 A, inclusive	60	30	60
circuit breaker over 3x50 A up to 3x63 A, inclusive	76	38	76
circuit breaker over 3x63 A per ampere	1.20	0.60	1.20
circuit breaker over 1x25 A per ampere	0.40	0.20	0.40

- the charge for the electricity quantity distributed at the high rate:

	E.ON	PRE	ČEZ
CZK/MWh	3,070.26	2,480.25	3,419.81

- the charge for the electricity quantity distributed at the low rate:

	E.ON	PRE	ČEZ
CZK/MWh	88.20	19.90	105.74

Terms and conditions of the tariff:

The time of low rate applicability has been set from Friday 12 p.m. (noon) to Sunday 10 p.m. for the whole year.

V Transitory and final provisions

(1) For the purposes of billing electricity supply and distribution, the consumption of electricity and the standing monthly charges for the period ended by a billing reading of the meter taken after 1 January 2011 shall be broken down by the assigned typical supply profile under a separate legal regulation ⁵⁾ applicable to the period from the date of the previous billing reading to 31 December 2010 and from 1 January 2011 to the date of the next billing reading, or evenly to parts proportionate to the length of the period from the date of the previous billing reading to 31 December 2010 and from 1 January 2011 to the date of the next billing reading.

(2) If the customer met the terms and conditions for the assignment of a tariff under a Price Decision effective prior to the day of effect hereof, and has used this tariff, the customer shall be deemed to meet the terms and conditions for receiving the same tariff under this Price Decision.

VI Repealing provisions

Price Decision of the Energy Regulatory Office No. 8/2009 of 25 November 2009, laying down fixed prices of electricity distribution to customers connected to low voltage networks, is repealed.

VII Effect

This Price Decision shall come into effect on 1 January 2011.

Energy Regulatory Office Chairman

Josef Fiřt
